


26781

EXHIBIT S-79L (1 of 2)



Street Section Along Harwood Street Without Parking

KEY NOTES

- ① STREET TREE & TREE GRATE TREE SPACING: ONE 4-INCH CALIPER TREE FOR EVERY 25 FEET OF FRONTAGE
- ② AMENITIES - BOLLARD SHOWN (OPTIONALLY LIGHT POLE, BENCH, ART, WASTE CONTAINER, SIGN, ETC.)
- ③ BUFFER ZONE - DIMENSION VARIES, MAY BE PAVED, LANDSCAPED, OCCUPIED BY SEATING OR FENCING
- ④ STREET PAVING MINIMUM WIDTH 12 FEET
- ⑤ SIDEWALK - PAVING PATTERNS; MINIMUM WIDTH 12 FEET; MINIMUM 8 FEET UNOBSTRUCTED.

Approved
City Plan Commission
May 17, 2007

Planned Development
District No. 193


PDS No. 79

HARWOOD INTERNATIONAL

SHIMODA DESIGN GROUP
ARCHITECTURE

STREET SECTION


Scale: 1/8" = 1'-0"
12 June 2007



(1 of 2)
Z067-173 (RB)

26781

EXHIBIT S-79L
(2 of 2)




Street Section Along Harwood Street With Parking

KEY NOTES

- ① STREET TREE & TREE GRATE TREE SPACING: ONE 4-INCH CALIPER TREE FOR EVERY 25 FEET OF FRONTAGE
- ② AMENITIES - BOLLARD SHOWN (OPTIONALLY LIGHT POLE, BENCH, ART, WASTE CONTAINER, SIGN, ETC.)
- ③ PARALLEL PARKING
- ④ STREET PAVING MINIMUM WIDTH - 12 FEET
- ⑤ SIDEWALK - PAVING PATTERNS; MINIMUM WIDTH 12 FEET; MINIMUM 8 FEET UNOBSTRUCTED

Approved
City Plan Commission
May 17, 2007

Planned Development
District No. 193
PDS No. 79



HARWOOD INTERNATIONAL

SHIMODA DESIGN GROUP
ARCHITECTURE

STREET SECTION

Scale: 1/8"=1'-0"
12 June 2007

(2 of 2)
Z067-173 (RB)